



富金官网
Fujin official website



富金智能公众号



富金灌溉公众号



宁波市富金园艺灌溉设备有限公司
NINGBO FUJIN GARDEN IRRIGATION EQUIPMENT CO., LTD.

地址：浙江省余姚市经济开发区西区横一路3号
Address: NO.3 Hengyi Road, West economic development district, Yuyao, Zhejiang, China.
传真 (Fax) : 86-0574-62592197
邮箱 (Email) : richard@fujinirrigation.com
服务热线 (Hotline) : 400-0574-009
Http://www.fujinirrigation.com

**Fujin intelligent
irrigation**

富金智能灌溉

2019.7 资材类

宁波市富金园艺灌溉设备有限公司
NINGBO FUJIN GARDEN IRRIGATION EQUIPMENT CO., LTD.

Company profile 企业简介 ◀



宁波市富金园艺灌溉设备有限公司成立于2008年，原先专业生产喷灌设备、滴灌设备、阀门、管件等基础灌溉产品，2013年转型升级到集研发、设计、制造智能灌溉设备的创新型高新技术企业。下设软件开发部、硬件开发部、产品研发部、工程设计部、工程安装部、模具车间、生产车间及测试车间。拥有实力雄厚的设计安装团队，专业设计灌溉管道，全程指导安装。任何应用市场下载富金APP软件，可以手动或手机远程控制水泵、施肥机、自动反冲洗、电磁阀、电动阀、蝶阀、电动蝶阀，是国内最实用，最接地气，完全自主研发的自动化灌溉系统。最新发明专利3V低电压电磁阀，更是填补国内外空白，安装便捷，无需布线，用末端控制首部自动化布局，实现精准灌溉，大大降低了主管道成本，是目前国内最经济型的智能化灌溉系统，真正做到省时、省力、省心。还自主研发温度、湿度、光照度、二氧化碳等传感器。产品广泛应用于温室大棚、大田灌溉、园林绿化、家庭阳台、花园、楼道的自动化灌溉。

欢迎有识之士与富金公司一起合作，共创中国节水灌溉的美好未来，让中国灌溉走向世界。

Established in 2008, Ningbo Fujin Gardening Irrigation Equipment Co., Ltd. was originally specialized in producing basic irrigation products such as sprinkler irrigation equipment, drip irrigation equipment, valves and fittings. In 2013, it was transformed and upgraded to an innovative high-tech system integrating research and development, design and manufacture of intelligent irrigation equipment enterprise. Under the software development department, hardware development department, product development department, engineering design department, engineering installation department, mold workshop, production workshop and test workshop. We have strong design and installation teams, design irrigation pipes and guide the installation of entire process professionally. People can download Fujin APP software from any application market, via Fujin APP, they can control the pumps, fertilizers, automatic washing, solenoid valves etc. on the mobile phone. This is the most practical automatic irrigation system, which is developed by Fujin completely. The latest invention patent 3V low voltage solenoid valve, it is to fill in the gaps at home and abroad. It is easy installation, no wiring, using the end to control the head automation layout, can be irrigated accurately, It reduce the cost of the main pipelines greatly. It is the most economical intelligent irrigation system in currently, truly saves time, saves labor, no worry. We also develop sensors of temperature, humidity, light intensity, carbon dioxide etc. Products are widely used in greenhouse, field irrigation, landscaping, home balcony, garden, corridor of the automatic irrigation.

We warmly welcome people of insight to cooperate with us, working together to create a better future of world's water-saving irrigation.

富金智能手机远程灌溉系统三大软件

THREE APPS OF FUJIN SMART IRRIGATION



富金云 / Fujin Cloud

主要应用于大棚、大田和农场

Mainly used in greenhouses, fields and farms



富金易控 / Fujin E controller

主要用于家庭庭院、小型农田

Mainly used in family courtyard, small farmland





富金云联 / FJ-link

主要用于桥梁、草原、山区等没有WiFi但有手机信号和供电困难的地方。

Mainly used in Bridges, grasslands, mountains and other areas without WiFi but with mobile phone signals and power supply difficulties.




工程案例展示 PROJECT CASES



富金智能技术支持

FUJIN INTELLIGENT TECHNICAL SUPPORT



目录 CATALOG

► 喷头/管接件/配件 SPRINKLER/PIPE FITTINGS/ACCESSORIES



高插杆地插微喷头
SPIKE SERIES
MICRO SPRAYER 01-06



倒挂微喷头
OVERHEAD MICRO
SPRINKLER 07-08



雾化喷头
ATOMIZATION MICRO SPRAY 09-12



中距离喷头
MEDIUM DISTANCE
SPRINKLERS 13-14



摇臂喷头
IMPACT SPRINKLER 15



倒挂、地插微喷
OVERHEAD&SPIKE SERIES
MICRO SPRAYER 16-17



滴灌
DRIP IRRIGATION 18-19




地埋喷头
POP-UP SPRINKLER 20



阀门
VALVE 21-22



管接头配件
ACCESSORIES AERIES 23-30



家庭套装/管件
FAMILY KITS/HOSES 31-34

喷头/管接件/配件
Nozzle/pipe fittings/
accessories



特点

- 适用于温室大棚、园林、绿地。
- 有广泛的喷洒直径范围和流量范围。
- 多种颜色喷嘴可任意更换，易于组装、维修。

FEATURES

- Applicable to greenhouse, garden, green space.
- There is a wide range of spray diameters and flow ranges.
- A variety of color nozzles can be replaced, easy to assemble, repair.

地插式旋转微喷头 / Ground screwdriver

图片 Picture	FJW2011A	FJW2011B	FJW2011C	FJW2011D	FJW2011E	FJW2011F		
型号 Item No.	FJW2011A	FJW2011B	FJW2011C	FJW2011D	FJW2011E	FJW2011F		
口径(mm) Mouth diameter	0.8	1.0	1.2	1.4	1.6	1.8		
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	21	34.8	48.6	74.4	87.6	108
		半径(m) Radius	0.5	1.0	1.3	1.5	1.6	1.6
	1.5	流量(L/h) Discharge	25.2	42	58.8	89.4	107.4	132
		半径(m) Radius	0.6	1.2	1.5	1.6	1.7	2.0
	2.0	流量(L/h) Discharge	28.2	48.6	69	91.8	106.2	128.4
		半径(m) Radius	0.7	1.3	1.7	2.0	1.8	2.2
	2.5	流量(L/h) Discharge	30.6	48	73.8	100.2	117	139.2
		半径(m) Radius	1.0	1.4	1.7	2.1	2.0	2.4
	3.0	流量(L/h) Discharge	34.2	51.6	82.2	106.8	127.8	153
		半径(m) Radius	1.0	1.5	1.8	2.1	2.3	2.6
	每袋数量 Qty/Bag(pcs)	200	200	200	200	200	200	
	每箱数量 Qty/Ctn(pcs)	4000	4000	4000	4000	4000	4000	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	15/16	15/16	15/16	15/16	15/16	15/16		

图片 Picture	FJW2001A	FJW2001B	FJW2001C	FJW2001D	FJW2001E	FJW2001F		
型号 Item No.	FJW2001A	FJW2001B	FJW2001C	FJW2001D	FJW2001E	FJW2001F		
口径(mm) Mouth diameter	0.8	1.0	1.2	1.4	1.6	1.8		
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	21	24.8	48.6	74.4	87.6	108
		半径(m) Radius	2.8	3.1	3.3	3.6	3.7	3.8
	1.5	流量(L/h) Discharge	25.2	42	58.8	89.4	107.4	132
		半径(m) Radius	3.1	3.5	3.7	4.0	4.2	4.4
	2.0	流量(L/h) Discharge	28.2	48.6	69	91.8	106.2	128.4
		半径(m) Radius	3.3	3.7	4.0	4.3	4.5	4.6
	2.5	流量(L/h) Discharge	30.6	48	73.8	100.2	117	139.2
		半径(m) Radius	3.5	3.9	4.3	4.6	4.7	4.9
	3.0	流量(L/h) Discharge	34.2	51.6	82.2	106.8	127.8	153
		半径(m) Radius	3.7	4.1	4.6	4.8	5.0	5.2
	每袋数量 Qty/Bag(pcs)	200	200	200	200	200	200	
	每箱数量 Qty/Ctn(pcs)	4000	4000	4000	4000	4000	4000	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	24.4/25.4	24.4/25.4	24.4/25.4	24.4/25.4	24.4/25.4	24.4/25.4		

微喷
(可更换其他颜色、型号喷头)
Micro-spray (replaceable
with other colors, models)



* 地插射程，离地1m测
* To insert the range, measured 1m from the ground

注意：地插杆请插入地面0.2m左右，以免不稳定。如软管无法连接接口，可用热水浸泡后连接。
Note: Please insert the ground rod about 0.2m, so as not to be unstable. If the hose can not connect the interface, you can use hot water soaking after the connection.

▶ 地插式G型旋转微喷头 / Ground-type G-type rotating micro-nozzle

图片 Picture	型号 Item No.	FJW1001A	FJW1001B	FJW1001C	FJW1001D	FJW1001E	FJW1001F	FJW1001G	FJW1001H	
口径(mm) Mouth diameter		0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2	
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	23.4	36.6	48.6	66.0	91.2	105	124.8	151.2
		半径(m) Radius	2.5	2.6	3.2	3.3	3.4	3.5	3.6	3.6
	1.5	流量(L/h) Discharge	24.6	42.6	57.0	80.4	109.8	133.2	161.4	193.2
		半径(m) Radius	2.8	3.0	3.5	3.6	3.9	4.0	4.1	4.2
	2.0	流量(L/h) Discharge	31.8	46.8	55.2	93.0	107.4	151.2	186.6	226.8
		半径(m) Radius	3.0	3.2	3.6	4.0	4.0	4.1	4.3	4.3
	2.5	流量(L/h) Discharge	32.4	47.4	58.8	88.2	119.4	148.8	181.8	215.4
		半径(m) Radius	3.2	3.5	3.8	4.3	4.4	4.4	4.5	4.6
	3.0	流量(L/h) Discharge	33.0	51.0	63.6	96.0	129.6	161.4	198.6	237.0
		半径(m) Radius	3.5	3.7	3.9	4.4	4.5	4.5	4.7	4.8
	每袋数量 Qty/Bag(pcs)		200/500	200/500	200/500	200/500	200/500	200/500	200/500	200/500
	每箱数量 Qty/Ctn(pcs)		3000	3000	3000	3000	3000	3000	3000	3000
纸箱规格 Ctn Size(cm)		54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)		12.9/13.9	12.9/13.9	12.9/13.9	12.9/13.9	12.9/13.9	12.9/13.9	12.9/13.9	12.9/13.9	

* 地插射程，离地1m测 * To insert the range, measured 1m from the ground

▶ 地插式G型旋转微喷头 / Ground-type G-type rotating micro-nozzle

图片 Picture	型号 Item No.	FJW1002A	FJW1002B	FJW1002C	FJW1002D	FJW1002E	FJW1002F	FJW1002G	FJW1002H	
口径(mm) Mouth diameter		0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2	
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	21	34.8	48.6	74.4	87.6	108	128.4	157.2
		半径(m) Radius	2.5	2.5	2.8	3.0	3.5	3.7	3.8	4.0
	1.5	流量(L/h) Discharge	25.2	42	58.8	89.4	107.4	132	156	197.4
		半径(m) Radius	2.8	2.8	3.1	3.8	3.8	4.0	4.2	4.3
	2.0	流量(L/h) Discharge	28.2	48.6	69	91.8	106.2	128.4	183.6	230.4
		半径(m) Radius	3.0	3.0	3.3	4.0	4.0	4.5	4.6	4.8
	2.5	流量(L/h) Discharge	30.6	48	73.8	100.2	117	139.2	202.8	258
		半径(m) Radius	3.1	3.1	3.5	4.2	4.2	4.6	4.8	5.0
	3.0	流量(L/h) Discharge	34.2	51.6	82.2	106.8	127.8	153	217.8	282
		半径(m) Radius	3.3	3.3	3.8	4.3	4.5	4.8	5.0	5.2
	每袋数量 Qty/Bag(pcs)		200/500	200/500	200/500	200/500	200/500	200/500	200/500	200/500
	每箱数量 Qty/Ctn(pcs)		3000	3000	3000	3000	3000	3000	3000	3000
纸箱规格 Ctn Size(cm)		54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)		21.1/22.1	21.1/22.1	21.1/22.1	21.1/22.1	21.1/22.1	21.1/22.1	21.1/22.1	21.1/22.1	

* 地插射程，离地1m测 * To insert the range, measured 1m from the ground

▶ 地插式G型旋转微喷头 / Ground-type G-type rotating micro-nozzle

图片 Picture	型号 Item No.	FJW1007A	FJW1007B	FJW1007C	FJW1007D	FJW1007E	FJW1007F	FJW1007G	FJW1007H	
口径(mm) Mouth diameter		0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2	
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	23.4	36.6	48.6	66.0	91.2	105	124.8	151.2
		半径(m) Radius	2.4	2.5	2.6	2.7	3.0	3.1	3.3	3.4
	1.5	流量(L/h) Discharge	24.6	42.6	57.0	80.4	109.8	133.2	161.4	193.2
		半径(m) Radius	2.7	2.8	3.0	3.1	3.3	3.3	3.4	3.5
	2.0	流量(L/h) Discharge	31.8	46.8	55.2	93.0	107.4	151.2	186.6	226.8
		半径(m) Radius	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7
	2.5	流量(L/h) Discharge	32.4	47.4	58.8	88.2	119.4	148.8	181.8	215.4
		半径(m) Radius	3.2	3.3	3.4	3.5	3.6	3.7	3.9	4.0
	3.0	流量(L/h) Discharge	33.0	51.0	63.6	96.0	129.6	161.4	198.6	237.0
		半径(m) Radius	3.3	3.4	3.5	3.6	3.7	3.8	4.1	4.1
	每袋数量 Qty/Bag(pcs)		200/500	200/500	200/500	200/500	200/500	200/500	200/500	200/500
	每箱数量 Qty/Ctn(pcs)		3000	3000	3000	3000	3000	3000	3000	3000
纸箱规格 Ctn Size(cm)		54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)		11.7/12.7	11.7/12.7	11.7/12.7	11.7/12.7	11.7/12.7	11.7/12.7	11.7/12.7	11.7/12.7	


* 地插射程，离地1m测 * To insert the range, measured 1m from the ground

▶ 地插式G型旋转微喷头 / Ground-type G-type rotating micro-nozzle

图片 Picture	型号 Item No.	FJW1008A	FJW1008B	FJW1008C	FJW1008D	FJW1008E	FJW1008F	FJW1008G	FJW1008H	
口径(mm) Mouth diameter		0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2	
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	23.4	36.6	48.6	66.0	91.2	105	124.8	151.2
		半径(m) Radius	1.0	1.1	1.2	1.4	1.8	2.4	2.5	2.5
	1.5	流量(L/h) Discharge	24.6	42.6	57.0	80.4	109.8	133.2	161.4	193.2
		半径(m) Radius	1.1	1.2	1.3	1.4	2.0	2.7	2.9	3.0
	2.0	流量(L/h) Discharge	31.8	46.8	55.2	93.0	107.4	151.2	186.6	226.8
		半径(m) Radius	1.1	1.2	1.3	1.6	2.3	2.8	3.0	3.1
	2.5	流量(L/h) Discharge	32.4	47.4	58.8	88.2	119.4	148.8	181.8	215.4
		半径(m) Radius	1.2	1.3	1.4	1.7	2.6	3.0	3.3	3.4
	3.0	流量(L/h) Discharge	33.0	51.0	63.6	96.0	129.6	161.4	198.6	237.0
		半径(m) Radius	1.2	1.3	1.5	1.7	2.9	3.1	3.4	3.5
	每袋数量 Qty/Bag(pcs)		200/500	200/500	200/500	200/500	200/500	200/500	200/500	200/500
	每箱数量 Qty/Ctn(pcs)		3000	3000	3000	3000	3000	3000	3000	3000
纸箱规格 Ctn Size(cm)		54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)		11.1/12.1	11.1/12.1	11.1/12.1	11.1/12.1	11.1/12.1	11.1/12.1	11.1/12.1	11.1/12.1	


* 地插射程，离地1m测 * To insert the range, measured 1m from the ground

G型旋转微喷头 / G-type rotating micro-nozzle

图片 Picture										
型号 Item No.	FJW1005A	FJW1005B	FJW1005C	FJW1005D	FJW1005E	FJW1005F	FJW1005G	FJW1005H		
口径(mm) Mouth diameter	0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2		
工作 压力 (Bar) work stress	1.0	流量(L/h) Discharge	23.4	30.6	46.8	63.0	87.6	100.2	127.8	148.8
		半径(m) Radius	2.4	2.4	3.7	3.7	3.8	3.8	3.9	4.0
1.5	1.5	流量(L/h) Discharge	27.6	37.2	54.6	68.4	105.0	121.8	154.8	180.6
		半径(m) Radius	2.4	2.4	4.0	4.2	4.3	4.4	4.2	4.6
2.0	2.0	流量(L/h) Discharge	31.8	43.2	63.0	78.0	121.8	140.4	179.4	213.6
		半径(m) Radius	2.5	2.5	4.2	4.3	4.4	4.5	4.6	4.8
2.5	2.5	流量(L/h) Discharge	36.0	54	69.0	89.4	132.6	158.4	201.0	240.6
		半径(m) Radius	2.5	2.5	4.4	4.6	4.7	4.7	4.8	5.0
3.0	3.0	流量(L/h) Discharge	39.0	59.4	75.9	94.8	151.2	189.6	211.2	271.2
		半径(m) Radius	2.6	2.6	4.5	4.8	5.0	5.1	5.2	5.5
每袋数量 Qty/Bag(pcs)	200/500	200/500	200/500	200/500	200/500	200/500	200/500	200/500		
每箱数量 Qty/Ctn(pcs)	3000	3000	3000	3000	3000	3000	3000	3000		
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	10.1/11.1	10.1/11.1	10.1/11.1	10.1/11.1	10.1/11.1	10.1/11.1	10.1/11.1	10.1/11.1		


* 地插射程, 离地1m测 *To insert the range, measured 1m from the ground

倒挂式旋转微喷头 / Over hanging micro-nozzle

图片 Picture										
型号 Item No.	FJW2002A	FJW2002B	FJW2002C	FJW2002D	FJW2002E	FJW2002F	FJW2002G	FJW2002H		
口径(mm) Mouth diameter	0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2		
工作 压力 (Bar) work stress	1.0	流量(L/h) Discharge	21	34.8	48.6	74.4	87.6	108	128.4	157.2
		半径(m) Radius	3.3	3.5	3.7	3.9	4.0	4.2	4.3	4.4
1.5	1.5	流量(L/h) Discharge	25.2	42	58.8	89.4	107.4	132	156	197.4
		半径(m) Radius	3.5	3.8	4.0	4.2	4.3	4.5	4.7	4.7
2.0	2.0	流量(L/h) Discharge	28.2	48.6	69	91.8	106.2	128.4	183.6	230.4
		半径(m) Radius	3.7	4.0	4.3	4.5	4.6	4.8	4.9	5.0
2.5	2.5	流量(L/h) Discharge	30.6	48	73.8	100.2	117	139.2	202.8	258
		半径(m) Radius	3.9	4.2	4.5	4.7	4.8	5.1	5.2	5.4
3.0	3.0	流量(L/h) Discharge	34.2	51.6	82.2	106.8	127.8	153	217.8	282
		半径(m) Radius	4.1	4.5	4.7	4.9	5.0	5.4	5.6	5.7
每袋数量 Qty/Bag(pcs)	200	200	200	200	200	200	200	200		
每箱数量 Qty/Ctn(pcs)	4000	4000	4000	4000	4000	4000	4000	4000		
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2		


* 倒挂射程, 离地1.8m测 *Overhand range, measured 1m from the ground

地插式旋转微喷头 / Ground screwdriver

图片 Picture										
型号 Item No.	FJW2003A	FJW2003B	FJW2003C	FJW2003D	FJW2003E	FJW2003F	FJW2003G	FJW2003H		
口径(mm) Mouth diameter	0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2		
工作 压力 (Bar) work stress	1.0	流量(L/h) Discharge	21	34.8	48.6	74.4	87.6	108	128.4	157.2
		半径(m) Radius	1.3	1.7	1.9	2.4	2.5	2.6	2.6	2.7
1.5	1.5	流量(L/h) Discharge	25.2	42	58.8	89.4	107.4	132	156	197.4
		半径(m) Radius	1.5	2.2	2.5	2.6	2.7	2.8	2.9	3.5
2.0	2.0	流量(L/h) Discharge	28.2	48.6	69	91.8	106.2	128.4	183.6	230.4
		半径(m) Radius	1.7	2.3	2.6	2.7	2.9	3.0	3.1	3.8
2.5	2.5	流量(L/h) Discharge	30.6	48	73.8	100.2	117	139.2	202.8	258
		半径(m) Radius	1.8	2.4	2.7	2.8	3.0	3.1	3.2	4.0
3.0	3.0	流量(L/h) Discharge	34.2	51.6	82.2	106.8	127.8	153	217.8	282
		半径(m) Radius	2.0	2.5	2.8	3.0	3.1	3.2	3.5	4.1
每袋数量 Qty/Bag(pcs)	200	200	200	200	200	200	200	200		
每箱数量 Qty/Ctn(pcs)	4000	4000	4000	4000	4000	4000	4000	4000		
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2	18.2/19.2		


* 地插射程, 离地0.5m测 *To insert the range, measured 0.5m from the ground

折射雾化微喷头 / Refraction atomization micro spray nozzle


图片 Picture										
型号 Item No.	FJW2004A	FJW2004B	FJW2004C	FJW2004D	FJW2004E	FJW2004F	FJW2004G	FJW2004H		
口径(mm) Mouth diameter	0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.2		
工作 压力 (Bar) work stress	1.0	流量(L/h) Discharge	21	34.8	48.6	74.4	87.6	108	128.4	157.2
		半径(m) Radius	0.5	1.0	1.3	1.5	1.6	1.6	2.1	2.2
1.5	1.5	流量(L/h) Discharge	25.2	42	58.8	89.4	107.4	132	156	197.4
		半径(m) Radius	0.6	1.2	1.5	1.6	1.7	2.0	2.4	2.5
2.0	2.0	流量(L/h) Discharge	28.2	48.6	69	91.8	106.2	128.4	183.6	230.4
		半径(m) Radius	0.7	1.3	1.7	2.0	1.8	2.2	2.6	2.8
2.5	2.5	流量(L/h) Discharge	30.6	48	73.8	100.2	117	139.2	202.8	258
		半径(m) Radius	1.0	1.4	1.7	2.1	2.0	2.4	2.8	3.0
3.0	3.0	流量(L/h) Discharge	34.2	51.6	82.2	106.8	127.8	153	217.8	282
		半径(m) Radius	1.0	1.5	1.8	2.1	2.3	2.6	3.0	3.2
每袋数量 Qty/Bag(pcs)	200	200	200	200	200	200	200	200		
每箱数量 Qty/Ctn(pcs)	4000	4000	4000	4000	4000	4000	4000	4000		
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	15/16	15/16	15/16	15/16	15/16	15/16	15/16	15/16		

* 地插射程, 离地0.5m测 *To insert the range, measured 0.5m from the ground

倒挂微喷头 / Overhand micro spray



倒挂微喷头 / Overhand micro spray



技术参数 Technical parameters

图片 Picture									
型号 Item No.	FJW2008A	FJW2008B	FJW2009A	FJW2007	FJW3003A	FJW3003B	FJW3003C		
产品名称 Product Name	倒挂式360°旋转微喷头 360° full angle irrigation sprinkler				倒挂式360°旋转微喷头 360° full angle irrigation sprinkler				
口径(mm) Mouth diameter	2.0	1.6	2.0	2.0	6.0(内插式) Interpolated	6.0(外插式) Extrapolation	7.5(外插式) Extrapolation		
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	125.4	96.9	127.8	125.4	97.8	127.8	121.8
		半径(m) Radius	3.5	2.7	4.5	2.8	2.7	2.7	2.7
	1.5	流量(L/h) Discharge	151.8	117.6	156.0	151.8	143.4	157.2	151.8
		半径(m) Radius	4.0	3.0	5.0	3.2	3.2	3.2	3.2
	2.0	流量(L/h) Discharge	174.0	134.4	181.2	174.0	171.0	184.2	173.4
		半径(m) Radius	4.4	3.2	5.2	3.5	3.5	3.5	3.5
	2.5	流量(L/h) Discharge	194.4	150.9	201.0	194.4	192.6	206.4	199.2
		半径(m) Radius	4.8	3.4	5.4	4.0	4.0	4.0	4.0
	3.0	流量(L/h) Discharge	213.6	164.4	220.8	213.6	210.0	222.6	212.4
		半径(m) Radius	5.0	3.5	5.5	4.2	4.2	4.2	4.2
	每袋数量 Qty/Bag(pcs)	200	200	200	200	200	200	200	
	每箱数量 Qty/Ctn(pcs)	3200	3200	2400	2400	3000	3000	3000	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	16.3/17.3	16.1/17.1	15.5/16.5	17.3/18.3	25/26	19.2/20.2	19.2/20.2		

* 倒挂射程，离地1.8m测 * Overhand range, measured 1m from the ground

技术参数 Technical parameters






图片 Picture							
型号 Item No.	FJW2005	FJW2006	FJW2008C	FJW2008D	FJW2009B	FJW2010	
产品名称 Product Name	框架旋转南瓜 Frame rotating nozzle	框架旋转大苹果 Frame rotating nozzle	橙色框架旋转小苹果 Frame rotating nozzle	紫色框架旋转小苹果 Frame rotating nozzle	框架旋转灯笼 Frame rotating nozzle	框架旋转菠萝 Frame rotating nozzle	
口径(mm) Mouth diameter	1.6/2.0	1.6/2.0	1.6/2.0	1.6/2.0	1.6/2.0	1.6/2.0	
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	128.4	128.4	128.4	128.4	128.4
		半径(m) Radius	4	4	3.8	2.5	4
	1.5	流量(L/h) Discharge	156	156	156	156	156
		半径(m) Radius	4.3	4.3	4	2.8	4.3
	2.0	流量(L/h) Discharge	183.6	183.6	183.6	183.6	183.6
		半径(m) Radius	4.8	4.8	4.2	3	4.8
	2.5	流量(L/h) Discharge	202.8	202.8	202.8	202.8	202.8
		半径(m) Radius	5	5	4.5	3.1	5
	3.0	流量(L/h) Discharge	217.8	217.8	217.8	217.8	217.8
		半径(m) Radius	5.2	5.2	5	3.2	5.2
	每袋数量 Qty/Bag(pcs)	200	200	200	200	200	200
	每箱数量 Qty/Ctn(pcs)	2400	2400	3200	3200	2400	2400
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)	16.1/17.1	17.1/18.1	16.7/17.7	16.7/17.7	17.1/18.1	17.1/18.1	

* 倒挂射程，离地1.8m测 * Overhand range, measured 1m from the ground

雾化微喷 / Atomization micro spray



技术参数 Technical parameters







图片 Picture								
型号 Item No.	FJW6024A	FJW6023A	FJW6023H	FJW6024B	FJW6023B	FJW6023C		
口径(mm) Mouth diameter	0.75	0.75	0.75	0.85	0.85	0.85		
工作压力 (Bar) work stress	1.0	流量(L/h) Discharge	31.8	9.6	9.6	46.8	16.8	16.8
		半径(m) Radius	0.6	0.2	0.2	0.6	0.2	0.2
	1.5	流量(L/h) Discharge	38.4	11.1	11.1	58.4	20.4	20.4
		半径(m) Radius	0.65	0.25	0.25	0.65	0.25	0.25
	2.0	流量(L/h) Discharge	43.8	12.6	12.6	64.2	22.8	22.8
		半径(m) Radius	0.7	0.3	0.3	0.7	0.3	0.3
	2.5	流量(L/h) Discharge	51.0	13.8	13.8	71.4	26.4	26.4
		半径(m) Radius	0.75	0.3	0.3	0.75	0.3	0.3
	3.0	流量(L/h) Discharge	57.6	15.0	15.0	79.8	28.8	28.8
		半径(m) Radius	0.8	0.35	0.35	0.8	0.35	0.35
	每袋数量 Qty/Bag(pcs)	150	500	500	150	500	500	
	每箱数量 Qty/Ctn(pcs)	1500	6000	6000	1500	6000	6000	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	19.8/20.8	23.4/24.4	23.4/24.4	19.6/20.6	23.4/24.4	23.4/24.4		

* 倒挂射程, 离地1.8m测 * Overhand range, measured 1m from the ground

雾化微喷 / Atomization micro spray




技术参数 Technical parameters

图片 Picture								
型号 Item No.	FJW6024C	FJW6023E	FJW6023D	FJW6024D	FJW6023G	FJW6023F		
口径(mm) Mouth diameter	0.5	0.5	0.5	0.7	0.7	0.7		
工作压力 (Bar) work stress	1.0	流量(L/h) Discharge	/	/	/	/	/	
		半径(m) Radius	/	/	/	/	/	/
	1.5	流量(L/h) Discharge	/	/	/	/	/	
		半径(m) Radius	/	/	/	/	/	/
	2.0	流量(L/h) Discharge	28-32	7-8	7-8	37-42	9-10	9-10
		半径(m) Radius	0.8	0.8	0.8	0.8	0.8	0.8
	2.5	流量(L/h) Discharge	/	/	/	/	/	/
		半径(m) Radius	/	/	/	/	/	/
	3.0	流量(L/h) Discharge	/	/	/	/	/	/
		半径(m) Radius	/	/	/	/	/	/
	每袋数量 Qty/Bag(pcs)	150	500	500	150	500	500	
	每箱数量 Qty/Ctn(pcs)	1500	6000	6000	1500	6000	6000	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	19.6/20.6	23.4/24.4	23.4/24.4	19.6/20.6	23.4/24.4	23.4/24.4		

* 倒挂射程, 离地1.8m测 * Overhand range, measured 1m from the ground

雾化微喷 / Atomization micro spray



技术参数 Technical parameters

图片 Picture									
型号 Item No.	FJW7001	FJW7002	FJW7003	FJW1006A	FJW1006B	FJW6004A	FJW6008A		
产品名称 Product Name	单出口铜喷头 One way copper sprinkler		五出口铜喷头 Five way copper sprinkler	带螺纹G型小转轮微喷头 Small rotor with thread type G		雾化微喷 Atomization micro spray			
口径(mm) Mouth diameter	0.8	0.8	0.8	/	/	0.75	0.75		
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	21.9	12.6	47.4	47.1	64.2	/	/
		半径(m) Radius	0.15	0.15	0.55	/	/	/	/
	1.5	流量(L/h) Discharge	26.1	14.4	57.6	55.8	76.8	6.6	23.1
		半径(m) Radius	0.2	0.2	0.6	/	/	0.1	0.55
	2.0	流量(L/h) Discharge	32.4	15.6	66.6	63.6	87.6	7.2	26.4
		半径(m) Radius	0.25	0.25	0.65	/	/	0.15	0.6
	2.5	流量(L/h) Discharge	35.4	17.4	76.2	69.0	97.2	7.8	30.0
		半径(m) Radius	0.27	0.27	0.7	/	/	0.2	0.65
	3.0	流量(L/h) Discharge	38.4	21.0	87.6	73.8	106.2	8.7	32.4
		半径(m) Radius	0.3	0.3	0.75	/	/	0.25	0.7
	每袋数量 Qty/Bag(pcs)	1000	1000	1000	200	200	1000	250	
	每箱数量 Qty/Ctn(pcs)	4000	4000	4000	2000	2000	12000	3000	
纸箱规格 Ctn Size(cm)	50x44x15.5	50x44x15.5	50x44x15.5	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	19.0/20.0	19.0/20.0	19.0/20.0	5.1/6.1	5.1/6.1	37.8/38.8	22/23		

* 倒挂射程, 离地1.8m测 * Overhand range, measured 1m from the ground

雾化微喷 / Atomization micro spray



技术参数 Technical parameters

图片 Picture									
型号 Item No.	FJW6010	FJW6006	FJW6022A	FJW6022B	FJW6018	FJW6019	FJW6020	FJW6021	
口径(mm) Mouth diameter	0.8	0.8	/	/	0.8	0.8	0.6	0.6	
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	9.0	9.0	30.0	30.0	40.0	35.4	40.8
		半径(m) Radius	0.15	0.15	1.0	1.0	1.3	1.2	2.4
	1.5	流量(L/h) Discharge	10.2	10.2	37.8	37.8	48.0	42.6	50.4
		半径(m) Radius	0.2	0.2	1.3	1.3	1.35	1.3	2.6
	2.0	流量(L/h) Discharge	11.1	11.1	44.4	44.4	55.8	49.2	58.8
		半径(m) Radius	0.25	0.25	1.5	1.5	1.4	1.35	2.7
	2.5	流量(L/h) Discharge	11.7	11.7	50.4	50.4	62.4	54.0	64.2
		半径(m) Radius	0.27	0.27	1.6	1.6	1.5	1.45	2.8
	3.0	流量(L/h) Discharge	12.6	12.6	54.6	54.6	67.8	59.4	69.0
		半径(m) Radius	0.3	0.3	1.9	1.9	1.55	1.5	3.0
	每袋数量 Qty/Bag(pcs)	500	500	500	500	200	200	1000	1000
	每箱数量 Qty/Ctn(pcs)	4000	4000	6000	6000	2000	10000	15000	15000
纸箱规格 Ctn Size(cm)	54x44x15.5	54x44x15.5	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)	33/34	33/34	16.7/17.7	16.7/17.7	20.2/21.2	56.5/57.5	28.7/29.7	28.7/29.7	

* 地插射程, 离地0.5m测 * To insert the range, measured 0.5m from the ground

► 中距离喷头 / Medium distance nozzle



FJZ1013
360°台式离心喷头
360°Desktop centrifugal nozzle



技术参数 Technical parameters

图片 Picture										
型号 Item No.	FJZ1003A	FJZ1003B	FJZ1004A	FJZ1004B	FJZ1002A	FJZ1002B	FJZ1002C			
产品名称 Product Name	内螺纹叶轮喷头	外螺纹叶轮喷头	内螺纹圆轮喷头	外螺纹圆轮喷头	防虫喷头	防虫喷头	防虫喷头			
口径(mm) Mouth diameter	内外螺纹: 1/2" 3/4" 喷嘴口径: 3.5 / 4.0 / 4.5 / 5.3		1/2" 3/4" 喷嘴口径: 3.5		口径: 1.8/2.0/ 2.3/2.6/2.8	口径: 1.8/2.0/ 2.3/2.6/2.8	口径: 1.6/1.8/ 2.0/2.3/2.6			
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	414.0	509.7	583.2	725.1	414.0	102.6	102.6	102.6
		半径(m) Radius	5.4	5.8	6.0	6.2	5.4	3.2	3.2	1.5
	1.5	流量(L/h) Discharge	516.0	613.5	718.2	811.2	516.0	124.2	124.2	124.2
		半径(m) Radius	6.2	6.8	7.2	7.4	6.0	3.5	3.5	1.5
	2.0	流量(L/h) Discharge	549.6	714.0	819.0	1002	549.6	141.6	141.6	141.6
		半径(m) Radius	6.4	6.8	7.4	7.5	6.6	3.5	3.5	1.5
	2.5	流量(L/h) Discharge	605.6	779.4	896.1	1113	605.6	156.0	156.0	156.0
		半径(m) Radius	6.6	7.2	7.6	7.8	6.8	3.9	3.9	1.8
	3.0	流量(L/h) Discharge	672.0	853.8	988.5	1205.4	672.0	172.2	172.2	172.2
		半径(m) Radius	5.5	6.5	7.5	7.6	7.0	4.0	4.0	2.0
	每袋数量 Qty/Bag(pcs)	50		50		100	100	100		
	每箱数量 Qty/Ctn(pcs)	500		500		1500	1500	1500		
纸箱规格 Ctn Size(cm)	54x43x31		54x43x31		54x43x31	54x43x31	54x43x31			
净重/毛重 N.W./G.W.(kg)	17.6/18.6		15.5/16.5		15.5/16.5	15.5/16.5	15.5/16.5			

* 地插射程, 离地0.5m测 * To insert the range, measured 0.5m from the ground

► 中距离喷头 / Medium distance nozzle



FJZ1009B



FJZ1009D
麦格可控角罩壳



FJZ1009C



技术参数 Technical parameters

图片 Picture										
型号 Item No.	FJZ1001	FJZ1012	FJZ1009	FJZ1009A	FJZ1006	FJZ1010	FJZ2001	FJZ2002		
产品名称 Product Name	蝶形喷头 Butterfly sprinkler	小麦格喷头	麦格喷头	麦格喷头	折射喷头 Rotating sprinkler	大折射喷头 Refraction sprinkler	蓝色水鸟喷头	绿色水鸟喷头		
规格(cm) Specification	4"外螺纹 Male	4"外螺纹 Male	4"外螺纹 Male	6"外螺纹 Male	4"外螺纹 Male	6"外螺纹 Male	4"外螺纹 Male	4"外螺纹 Male		
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	494.4	130.0	240.0	/	810.6	828.3	351.0	380.1
		半径(m) Radius	5.3	6.5	5.5	/	3.0	3.0	6.5	9.5
	1.5	流量(L/h) Discharge	515.7	167.4	331.2	/	960.0	980.1	424.5	456.0
		半径(m) Radius	6.4	8.2	6.5	/	3.7	4.5	9.0	10.2
	2.0	流量(L/h) Discharge	575.4	192.6	438.0	350	1128	1116.6	484.8	528.0
		半径(m) Radius	6.5	9.0	6.5	7	4.0	4.8	9.0	10.5
	2.5	流量(L/h) Discharge	560.7	216.6	532.2	350	1194.9	1226.7	539.4	592.2
		半径(m) Radius	6.8	10.0	6.8	8	4.5	5.0	9.0	10.8
	3.0	流量(L/h) Discharge	618.0	235.8	585.0	350	1301.4	1340.7	592.2	650.7
		半径(m) Radius	6.5	10.2	6.5	9	5.0	5.1	9.5	11.0
	每袋数量 Qty/Bag(pcs)	50	400	5	10	25	20	5	5	
	每箱数量 Qty/Ctn(pcs)	500	4000	200	300	300	300	300	300	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	40x35x31	50x35x38	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	20/21	39.3/40.3	10.6/11.6	19/20	12.7/13.7	18.6/19.6	13/14	13/14		

* 地插射程, 离地1.8m测 * To insert the range, measured 1.8m from the ground

▶ 摇臂喷头 / Impact sprinkler



图片 Picture						
	可控角 Controllable Angle	可控角 Controllable Angle	无帽 No cap	有帽 Cap	可控角 Controllable Angle	可控角 Controllable Angle
型号 Item No.	FJY8001(9702)	FJY8015	FJY8003A(5022)	FJY8003B	FJY8005	FJY8010A
压力 Work stress	150KPA-300KPA	1.5KG-4.0KG	喷嘴 Nozzle	150KPA-400KPA	1.5KG-4.0KG	1.5KG-4.0KG
流量 Discharge	0.75-1.2M ³ /H	1.5-2.3M ³ /H	2.0/2.5/3.2/ 3.5/4.0mm	0.4-1.3M ³ /H	0.95-1.13M ³ /H	0.5-1.19M ³ /H
半径 Radius	6-11M	12-18M		8-12M	10-13M	8-13M
连接尺寸 Size	1/2"、3/4"外螺纹 Male	3/4"外螺纹 Male	1/2"外螺纹 Male	1/2"外螺纹 Male	1/2"、3/4"外螺纹 Male	3/4"内螺纹 Female

图片 Picture						
				可控角 Controllable Angle	可控角 Controllable Angle	
型号 Item No.	FJY8011A	FJY8011B	FJY8012(5035)	FJY8013A	FJY8013B	FJY8027
压力 Work stress	1.5KG-2.5KG	1.5KG-2.5KG	1.5KG-4.0KG	200KPA-300KPA	200KPA-300KPA	4KG-5KG
流量 Discharge	0.3-1.32M ³ /H	0.3-1.32M ³ /H	1.5-2.3M ³ /H	2.3-2.8M ³ /H	2.3-2.8M ³ /H	2.98-3.4M ³ /H
半径 Radius	7-15.5M	7-15.5M	12-18M	13-15M	13-15M	12-18M
连接尺寸 Size	3/4"内螺纹 Female	3/4"外螺纹 Male	3/4"外螺纹 Male	3/4"外螺纹 Male	3/4"外螺纹 Male	1"全圆 Full circle

图片 Picture						
型号 Item No.	FJY8028	FJY8029	FJY8030	FJY8031	FJY8032	FJY8033
压力 Work stress	2.0KG-5.0KG	4KG-5KG	2.0KG-5.0KG	2.0KG-5.0KG	2.0KG-5.0KG	2.0KG-6.0KG
流量 Discharge	2.5-7.0M ³ /H	2.98-3.4M ³ /H	2.5-7.0M ³ /H	2.5-7.0M ³ /H	2.5-7.0M ³ /H	9.12-31.98M ³ /H
半径 Radius	18-25M	12-18M	18-25M	18-25M	18-25M	20-36M
连接尺寸 Size	1"全圆 Full circle	1"全圆 Full circle	1"全圆 Full circle	1"全圆 Full circle	1"全圆 Full circle	3/2"全圆 Full circle

特点

- 适用于温室降温，加湿。
- 防滴器、卡扣和倒刺的连接方式。
- 可安装至距离地面高度1.8米左右。

FEATURES

- Suitable for greenhouse cooling, humidification.
- Anti-drip, snap and barbed connections.
- Can be installed to about 1.8 meters from the ground height.



50cm地插杆

1m玻璃杆



黑重锤 白重锤

倒挂长度可根据客户需要定制


地插喷头 / Spike series micro sprayer



图片 Picture										
型号 Item No.	FJW6025A	FJW6025B	FJW6001	FJW6008	FJW6002A (360°)	FJW6002B (180°)	FJW6002C	FJW6002D		
产品名称 Product Name	大涌泉喷头 Sprinkler	大涌泉喷头 Sprinkler	橙色喷滴两用地插喷头 Orange spray droplets to plug the nozzle	橙色无遮挡地插喷头 Orange no plug to plug the nozzle	涌泉喷头 Sprinkler	涌泉喷头 Sprinkler	涌泉喷头 Sprinkler	小涌泉喷头 Sprinkler		
口径(mm) Mouth diameter	16	20	4	/	4	4	3	/		
工作压力(Bar) work stress	1.0	流量(L/h) Discharge	0-790.8	0-703.5	0-108.6	43.2-76.2	0-49.2	0-45.6	30.0	0-78.6
		半径(m) Radius	0-0.6	0-0.5	0-0.5	0.5-1.0	0-1.3	0-3.0	0.4	0-1.8
	1.5	流量(L/h) Discharge	0-940.8	0-856.2	0-136.2	52.8-93.6	0-62.4	0-56.4	50.4	0-94.8
		半径(m) Radius	0-0.8	0-0.6	0-0.9	0.6-1.3	0-1.8	0-4.0	0.8	0-2.0
	2.0	流量(L/h) Discharge	0-1067.1	0-973.5	0-172.2	61.2-110.4	0-72.0	0-63.6	57.0	0-109.8
		半径(m) Radius	0-1.0	0-0.7	0-1.3	0.75-1.6	0-2.1	0-4.5	1.4	0-2.5
	2.5	流量(L/h) Discharge	0-1177.8	0-1060.5	0-190.2	70.8-125.4	0-79.2	0-70.8	64.8	0-124.8
		半径(m) Radius	0-1.2	0-0.8	0-1.4	1.0-2.0	0-2.5	0-5.0	1.6	0-2.6
	3.0	流量(L/h) Discharge	0-1288.8	0-1140.6	0-210.0	76.8-140.4	0-88.2	0-78.6	70.2	0-147.0
		半径(m) Radius	0-1.4	0-0.9	0-1.8	1.1-2.2	0-3.0	0-5.2	1.8	0-2.7
	每袋数量 Qty/Bag(pcs)	/	/	100	100	200	200	200	200	
	每箱数量 Qty/Ctn(pcs)	250	250	1200	1200	2400	2400	2400	2400	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31		
净重/毛重 N.W./G.W.(kg)	11.9/12.9	12.5/13.5	19.8/20.8	19.8/20.8	11.5/12.5	11.7/12.7	13.3/14.3	13.3/14.3		

滴箭 / Drip arrow

蓝线显示为：直滴箭的压力与流量关系曲线 Blue line shows: The relation between pressure and flow in straight drip arrow
 红线显示为：弯滴箭的压力与流量关系曲线 Red line shows: The relation between pressure and flow in curve drip arrow



图片 Picture			
型号 Item No.	FJD1001	FJD1002	FJD1003
产品名称 Product Name	小直滴箭 Straight drip arrow	弯滴箭 Curve drip arrow	大直滴箭 Straight drip arrow
规格(cm) Specification	12.6	10.8	14.7
每袋数量 Qty/Bag(pcs)	/	/	/
每箱数量 Qty/Ctn(pcs)	5000	5000	5000
纸箱规格 Ctn Size(cm)	55x44x31	55x44x31	55x44x31
净重/毛重 N.W./G.W.(kg)	9.8/10.8	10.4/11.4	12.8/13.8

滴灌系统是一种高效的节水灌溉科技，它使用管道系统去供水，让水以水珠的形式缓慢地、定时定量地进入植物根部，并且让根部区域长时间保持湿润的状态。

The drip irrigation system is an efficient water-saving irrigation technology that uses a piping system to supply water, allowing water to enter the plant roots slowly and regularly in the form of water droplets and keep the root area moist for a long time.

图片 Picture						
型号 Item No.	FJD2001	FJD2002	FJD2003	FJD2004	FJD2005	FJD2006
产品名称 Product Name	一出四弯滴箭 Four curve drip arrow	一出四直滴箭 Four straight drip arrow	一出二弯滴箭 Two curve drip arrow	一出二直滴箭 Two straight drip arrow	一出二弯滴箭 One curve drip arrow	一出一直滴箭 One straight drip arrow
规格(cm) Specification	4x50	4x50	2x50	2x50	1x50	1x50
每袋数量 Qty/Bag(pcs)	/	/	/	/	/	/
每箱数量 Qty/Ctn(pcs)	300	400	500	800	1500	2000
纸箱规格 Ctn Size(cm)	55x44x31	55x44x31	55x44x31	55x44x31	55x44x31	55x44x31
净重/毛重 N.W./G.W.(kg)	9.6/10.6	15.8/16.8	8.3/9.3	12.6/13.6	17.1/18.1	16.2/17.2

滴头 / Drip irrigation



技术参数 Technical parameters

图片 Picture									
型号 Item No.	FJD3013	FJD3002	FJD3003	FJD3004-2	FJD3004-4	FJD3004-8	FJD3005	FJD3011	
产品名称 Product Name	涌泉滴头 Tampons	小红帽8孔可调滴头 Adjustable drip	可拆式压力补偿滴头 Removable pressure compensated drip	滴头 Drip	滴头 Drip	滴头 Drip	可调式管上滴头 Adjustable drip	可调至关闭滴头 Adjustable to close the drip	
口径(mm) Mouth diameter	/	/	2L,4L,8L	2L	4L	8L	/	/	
工作压力(Ba) work stress	0.5	流量(L/h) Discharge	/	0-35.3	/	/	/	0-111.0	0-93.6
		半径(m) Radius	/	/	/	/	/	/	/
	1.0	流量(L/h) Discharge	30.0	0-49.2	/	/	/	0-144.0	0-125.4
		半径(m) Radius	0.4	/	/	/	/	/	/
	1.5	流量(L/h) Discharge	50.4	0-62.4	/	/	/	0-181.2	0-150.0
		半径(m) Radius	0.8	/	/	/	/	/	/
	2.0	流量(L/h) Discharge	57.0	0-72.0	/	/	/	0-210.0	0-174.0
		半径(m) Radius	1.4	/	/	/	/	/	/
	2.5	流量(L/h) Discharge	64.8	0-79.2	/	/	/	0-243.6	0-194.4
		半径(m) Radius	1.6	/	/	/	/	/	/
	每袋数量 Qty/Bag(pcs)	1000	1000	500	500	500	500	500	250
	每箱数量 Qty/Ctn(pcs)	10000	10000	5000	5000	5000	5000	5000	2500
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)	17/18	17/18	20.9/21.9	18.9/19.9	18.9/19.9	18.9/19.9	22.6/23.6	16.5/17.5	

滴头 / Drip irrigation



技术参数 Technical parameters

图片 Picture									
型号 Item No.	FJD3008-2	FJD3008-4	FJD3008-8	FJD3009	FJM1001	FJM1002	FJM1005		
产品名称 Product Name	棕红色滴头 Maroon drip	灰白色滴头 Gray drip	灰绿色滴头 Gray green drip	渗水管 Drop of water pipe	地理喷头 Pup-up sprinkler	地理喷头 Pup-up sprinkler	塑料可调喷头 Adjustable plastic sprinkler		
口径(mm) Mouth diameter	/	/	/	/	4分内螺纹 1/2"Female	4分内螺纹 1/2"Female	6分内螺纹 3/4"Female		
工作压力(Ba) work stress	0.5	流量(L/h) Discharge	/	/	/	7.1(L/h/m)	296	296	650
		半径(m) Radius	/	/	/	/	4.0	4.0	9.5
	1.0	流量(L/h) Discharge	/	/	/	9.6(L/h/m)	470	470	770
		半径(m) Radius	/	/	/	/	5.0	5.0	10.5
	1.5	流量(L/h) Discharge	/	/	/	10.8(L/h/m)	622	622	880
		半径(m) Radius	/	/	/	/	6.0	6.0	11.0
	2.0	流量(L/h) Discharge	/	/	/	15.0(L/h/m)	768	768	950
		半径(m) Radius	/	/	/	/	6.5	6.5	11.5
	2.5	流量(L/h) Discharge	/	/	/	19.2(L/h/m)	977	977	990
		半径(m) Radius	/	/	/	/	6.6	6.6	12.0
	每袋数量 Qty/Bag(pcs)	1000	1000	1000		5	5	1	
	每箱数量 Qty/Ctn(pcs)	10000	10000	10000	长度可按 客户需要定制	200	200	40	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	The length is customized according to the customer's needs	45x35x28	45x35x28	63x63x30		
净重/毛重 N.W./G.W.(kg)	10.4/11.4	10.4/11.4	10.4/11.4		14.0/15.0	14.0/15.0	17.7/19.0		

地理喷头 / Pup-up sprinkler



阀门 / Valve

图片 Picture						
型号 Item No.	FJG2001	FJG2002	FJG2003	FJG2006	FJG2007	FJG2019
产品名称 Product Name	16旁通阀门 16 side valve	20*25旁通阀门 20*25 side valve	25旁通阀门 25 side valve	20旁通阀门 20 side valve	16*20旁通阀门 16*20 side valve	9/12旁通阀门 9/12 side valve
规格 Specification(mm)	Φ16x16	Φ20x25	Φ25x25	Φ20x20	Φ16x20	9/12x9/12
每袋数量 Qty/Bag(pcs)	50	50	50	50	50	50
每箱数量 Qty/Ctn(pcs)	700	500	500	600	500	700
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	17.2/18.2	14.6/15.6	15.3/16.3	15.2/16.2	14.5/15.5	16/17
图片 Picture						
型号 Item No.	FJG2020	FJG2021	FJG2022	FJG2008	FJG2009A	FJG2010
产品名称 Product Name	4/7旁通阀门 4/7 side valve	9/12-4/7旁通阀门 9/12-4/7 side valve	16*25旁通阀门 16*25 side valve	16*1/2"旁通阀门 16*1/2" side valve	20*1/2"旁通阀门 20*1/2" side valve	16*3/4"旁通阀门 16*3/4" side valve
规格 Specification(mm)	4/7x4/7	9/12转4/7	Φ16x25	Φ16x1/2"	Φ20x1/2"	Φ16x3/4"
每袋数量 Qty/Bag(pcs)	50	50	50	50	50	50
每箱数量 Qty/Ctn(pcs)	1000	700	500	600	500	500
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	20.8/21.8	16.3/17.3	16.5/17.5	14.5/15.5	13.3/14.3	15.8/16.8
图片 Picture						
型号 Item No.	FJG2011	FJG2012	FJG2028	FJG2031	FJG2009B	FJG2013
产品名称 Product Name	20*3/4"旁通阀门 20*3/4" side valve	25*3/4"旁通阀门 25*3/4" side valve	25*1/2"旁通阀门 25*1/2" side valve	9/12-1/2"旁通阀门 9/12-1/2" side valve	1/2"-1/2"旁通阀门 1/2"-1/2" side valve	16*13旁通阀门 16*13 side valve
规格 Specification(mm)	Φ20x3/4"	Φ25x3/4"	Φ25x1/2"	9/12x1/2"	1/2"x1/2"	Φ16x13
每袋数量 Qty/Bag(pcs)	50	50	50	50	50	50
每箱数量 Qty/Ctn(pcs)	500	500	500	600	700	500
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	14.9/15.9	15.6/16.6	15.8/16.8	14.5/15.5	13.3/14.3	17.5/18.5
图片 Picture						
型号 Item No.	FJG2014	FJG2015	FJG2016	FJG2017	FJG2018	FJG2023
产品名称 Product Name	16旁通阀门 16 side valve	16旁通阀门 16 side valve	16*13旁通阀门 16*13 side valve	16*3/4"旁通阀门 16*3/4" side valve	16*1/2"旁通阀门 16*1/2" side valve	13*3/4"旁通阀门 13*3/4" side valve
规格 Specification(mm)	Φ16x16	Φ16x16	Φ16x13	Φ16x3/4"	Φ16x1/2"	Φ13x3/4"
每袋数量 Qty/Bag(pcs)	50	50	50	50	50	50
每箱数量 Qty/Ctn(pcs)	500	500	500	500	500	500
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	18.6/19.6	15.4/16.4	15.2/16.2	17.2/18.2	15.8/16.8	15.8/16.8

图片 Picture						
型号 Item No.	FJG2025	FJG2005	FJG2024	FJG2027	FJG2026	FJG2032
产品名称 Product Name	13*1/2"旁通阀门 13*1/2" side valve	16*13旁通阀门 16*13 side valve	13*20旁通阀门 13*20 side valve	25*13旁通阀门 25*13 side valve	13旁通阀门 13 side valve	9/12锁扣旁通阀门 9/12 side valve
规格 Specification(mm)	Φ13x1/2"	Φ16x13	Φ13x20	Φ25x13	Φ13x13	9/12x9/12
每袋数量 Qty/Bag(pcs)	50	50	50	50	50	50
每箱数量 Qty/Ctn(pcs)	500	800	700	500	500	500
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	14.2/15.2	19.4/20.4	14.4/15.4	15.4/16.4	11.5/12.5	14.2/15.2
图片 Picture						
型号 Item No.	FJQ1001A	FJQ1001B	FJQ1002A	FJQ1002B	FJQ1003	FJG3077
产品名称 Product Name	塑料取水阀 (方便体)				四通	
规格 Specification(mm)	3/4"内丝 Female	3/4"外丝 Male	1"内丝 Female	1"外丝 Male	3/4"外丝 Male	16x25反螺纹
每袋数量 Qty/Bag(pcs)	1	1	1	1	1	50
每箱数量 Qty/Ctn(pcs)	100	100	50	50	100	500
纸箱规格 Ctn Size(cm)	50x45x35	55x50x45	60x40x30	53x40x31	55x55x34	54x43x31
净重/毛重 N.W./G.W.(kg)	20/21.5	21.2/22.7	15.4/16.4	15.5/16.5	27.0/28.7	19/20
图片 Picture						
型号 Item No.	FJG3097A	FJG3097B	FJG2033A	FJG2033B	FJG2034A	FJG2034B
产品名称 Product Name	带螺纹万能接头 Connector	不带螺纹万能接头 Connector	球阀 Ball valve	球阀 Ball valve	直通阀门 Valve	直通阀门 Valve
规格 Specification(mm)	/	/	3/4"外螺纹 Male 3/4"内螺纹 Female	增加1/2"内螺纹 Female	20x20	25x25
每袋数量 Qty/Bag(pcs)	/	/	60	60	50	/
每箱数量 Qty/Ctn(pcs)	/	/	800	800	500	/
纸箱规格 Ctn Size(cm)	/	/	54x43x31	54x43x31	54x43x31	/
净重/毛重 N.W./G.W.(kg)	/	/	22.8/23.8	22.8/23.8	10/11	/

管配件、配件 / Pipe fittings & accessories

	直通 Direct connection	型号 规格 FJG3003A 16x12mm FJG3003B 16x16mm FJG3003C 20x20mm FJG3003D 25x25mm FJG3003E 16x16mm		弯通 Bend over	型号 规格 FJG3004A 16x16mm FJG3004B 20x20mm FJG3004C 25x25mm		三通 Tee	型号 规格 FJG3005A 16x16mm FJG3005B 20x20mm FJG3005C 25x25mm
	外丝三通 Outside the wire tee	型号 规格 FJG3006A 16x1/2" FJG3006B 20x1/2" FJG3006C 16x3/4" FJG3006D 20x3/4" FJG3006E 25x1/2" FJG3006F 25x3/4"		外丝弯通 Outside the wire bend through	型号 规格 FJG3007A 16x1/2" FJG3007B 20x1/2" FJG3007C 16x3/4" FJG3007D 20x3/4" FJG3007E 25x1/2" FJG3007F 25x3/4"		堵头 Plug	型号 规格 FJG3009A 16x16mm FJG3009B 20x20mm FJG3009C 25x25mm
							外丝承插旁通 Outside the wire	型号 规格 FJG3008A 16x1/2" FJG3008B 20x1/2" FJG3008C 16x3/4" FJG3008D 20x3/4" FJG3008E 25x1/2" FJG3008F 25x3/4"

图片 Picture						
型号 Item No.	FJG3090	FJG3091	FJG3090A	FJG3091B	FJG3082	FJG3083
产品名称 Product Name	内螺纹 Female	内螺纹 Male	内螺纹 Female	内螺纹 Male	双通 Two-way	正三通 Tee
规格 Specification(mm)	16x1/2"	16x3/4"	20x1/2"	20x3/4"	4x7	4x7
每袋数量 Qty/Bag(pcs)	300	300			1000	2500
每箱数量 Qty/Ctn(pcs)	3000	3000			50000	30000
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31			54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	13/14	13/14			24.5/25.5	30.0/31
图片 Picture						
型号 Item No.	FJG3084	FJG3085	FJG3023	FJG3019A	FJG3019B	FJG3022
产品名称 Product Name	四通 Four-way	弯通 Bend over	正三通 Tee	小堵头 Plug	大堵头 Plug	异径三通 Reducing Tee
规格 Specification(mm)	4x7	4x7	4x7	4x7	4x7	4x7-3x5
每袋数量 Qty/Bag(pcs)	2000	1000	2500	1000	1000	1000
每箱数量 Qty/Ctn(pcs)	40000	50000	30000	30000	25000	40000
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	38.8/39.8	24.5/25.5	30.0/31	26.1/27.1	28.5/29.5	26/27
图片 Picture						
型号 Item No.	FJG3092	FJG3017C	FJG3029A	FJG3029B	FJG3029C	FJG3029D
产品名称 Product Name	螺纹单倒钩	正三通 Tee	三叉口 Three fork	三叉口 Three fork	三叉口 Three fork	三叉口 Three fork
规格 Specification(mm)	4x7	9x12(无螺母锁扣)	外径Φ6 4x7	外径Φ7.5 4x7	外径Φ7.5-8 4x7	9x12
每袋数量 Qty/Bag(pcs)	1000	100	1000	1000	1000	1000
每箱数量 Qty/Ctn(pcs)	30000	1000	8000	8000	8000	6400
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	25.5/26.5	3.26/4.26	17.5/18.5	17.2/18.2	20/21	17.1/18.1
图片 Picture						
型号 Item No.	FJG3017A	FJG3017B	FJG3021	FJG3031	FJG3032	FJG3033
产品名称 Product Name	异径三通 Reducing Tee	异径三通 Reducing Tee	平口三通 Flat mouth tee	双内锥接头 Double inner 6 cone connector	内丝直接头 Inner wire straight head	内丝接头 Inner wire straight head
规格 Specification(mm)	9x12-3x5	9x12-4x7	4x7	6	3/4"	3/4"-1/2"
每袋数量 Qty/Bag(pcs)	100	100	2000	2000	100	100
每箱数量 Qty/Ctn(pcs)	1000	1000	16000	16000	1200	1200
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	2.7/3.7	2.7/3.7	26/27	19.4/20.4	10.4/11.4	12.7/13.7

图片 Picture						
型号 Item No.	FJG3034	FJG3035A	FJG3035B	FJG3024	FJG3025	FJG3026
产品名称 Product Name	单钩螺纹 Single hook thread	平口螺纹 Flat thread	平口螺纹 Flat thread	三通分水器 Three-way water separator	四通分水器 Four-way water separator	雾化四通分水器 Four-way water separator
规格 Specification(mm)	倒钩4x7,1/2"螺纹	平口外径6,1/2"螺纹	平口内径6,1/2"螺纹	3x5	4x7-3x5	口径Φ6.0
每袋数量 Qty/Bag(pcs)	500	500	500	2000	2000	500
每箱数量 Qty/Ctn(pcs)	5000	5000	5000	40000	40000	6000
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	18.2/19.2	18.7/19.7	19.7/20.7	26.4/27.4	38.8/39.8	17.9/18.9
图片 Picture						
型号 Item No.	FJG3027	FJG3028	FJG3018A	FJG3018B	FJG3018C	FJG3016
产品名称 Product Name	五通分水器 Five-way water separator	雾化五通分水器 Five-way water separator	4x7大单勾 Big single hook	4x7小单勾 Small single hook	4x7小单勾 Small single hook	4x7-3x5单勾 Single hook
规格 Specification(mm)	3x5	口径Φ6.0	4x7	外径Φ6 4x7	外径Φ7.5 4x7	4x7-3x5
每袋数量 Qty/Bag(pcs)	2000	500	1000	1000	1000	1000
每箱数量 Qty/Ctn(pcs)	20000	6000	25000	30000	30000	40000
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	18/19	17.8/18.8	25.6/26.6	25.5/26.5	25.5/26.5	25.6/26.6
图片 Picture						
型号 Item No.	FJG3020A	FJG3020B	FJG3098	FJG3020C	FJG3030	FJG3076
产品名称 Product Name	双勾 Double hook	4x7-3x5双勾 Double hook	3x5单勾 Single hook	3x5双勾 Double hook	直接头 Connector	橡胶圈 Rubber ring
规格 Specification(mm)	4x7	4x7-3x5	3x5	3x5	下内6上外7.5	DN16X10
每袋数量 Qty/Bag(pcs)	1000	1000	1000	1000	1000	1500
每箱数量 Qty/Ctn(pcs)	40000	40000	40000	50000	30000	4500
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	50x44x15.5
净重/毛重 N.W./G.W.(kg)	27.2/28.2	26/27	25.6/26.6	24.5/25.5	27.2/28.2	15/16
图片 Picture						
型号 Item No.	FJG3075B	FJG3075C	FJG3075	FJG3074	FJG3061A	FJG3038
产品名称 Product Name	内锥单勾 Single hook	白色4x7双勾 Double hook	大内锥单勾 Single hook	外双内锥 Double cone	内双内锥 Double cone	快接直通 Quick access
规格 Specification(mm)	4x7	4x7	4x7	4x7	4x7	16
每袋数量 Qty/Bag(pcs)	1000	1000	1000	1000	1000	300
每箱数量 Qty/Ctn(pcs)	30000	30000	30000	30000	30000	3000
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	25.5/26.5	27.2/28.2	27.2/28.2	27.2/28.2	27.2/28.2	12.8/13.8

图片 Picture						
型号 Item No.	FJG3039	FJG3043	FJG3044	FJG3045	FJG3046	FJG3047
产品名称 Product Name	快接三通 Quick access tee	快接 Quick connect	快接 Quick connect	快接及堵头 Quick connect and plug	Y型分水器 Y range trap	奶嘴接头 Pacifier
规格 Specification(mm)	16	9x12	13x17	13x17	3/4"内螺纹 Female	1/2",3/4"内螺纹 Female
每袋数量 Qty/Bag(pcs)	150	50	50	50	/	150
每箱数量 Qty/Ctn(pcs)	1800	600	600	600	400	1800
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	15.7/16.7	13.2/14.2	14.6/15.6	15.1/16.1	19.3/20.3	21.7/22.7
图片 Picture						
型号 Item No.	FJG3042	FJG3079A	FJG3011A	FJG3011B	FJG3081A	FJG3081B
产品名称 Product Name	双钩防滴器 Double barb anti-drip	双平口防滴器 Double port anti-drip device	单倒钩防滴器 Single barb anti-drip	单倒钩防滴器 Single barb anti-drip	7.5单倒钩防滴器 Single barb anti-drip	内径6.0防滴器 Barb anti-drip
规格 Specification(mm)	4x7	外径Φ6-外径Φ6	进水4x7-外径Φ6	进水外径Φ6-4x7	4x7-外径Φ7.5	4x7-内径Φ6
每袋数量 Qty/Bag(pcs)	500	500	500	500	500	500
每箱数量 Qty/Ctn(pcs)	8000	6000	8000	8000	6000	8000
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	21.4/22.4	18.4/19.4	25.6/26.6	25.6/26.6	21/22	25.6/26.6
图片 Picture						
型号 Item No.	FJG3081C	FJG3080A	FJG3080B	FJG3080C	FJG3080D	
产品名称 Product Name	活接6防滴器 Barb anti-drip	可拆洗双平口防滴器 Washed double barb anti-drip	可拆洗单倒钩防滴器 Washed single barb anti-drip	可拆洗单倒钩防滴器 Washed single barb anti-drip	大口径防滴器 Big diameter device	
规格 Specification(mm)	外径Φ6-内径Φ6	外径Φ6-内径Φ6	4x7-外径Φ7.5	4x7-外径Φ6	4x7-内径Φ6	
每袋数量 Qty/Bag(pcs)	500	250	250	250	250	
每箱数量 Qty/Ctn(pcs)	8000	3000	3000	3000	3000	
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	
净重/毛重 N.W./G.W.(kg)	25.6/26.6	22.4/23.4	20.5/21.5	20.5/21.5	22.4/23.4	
图片 Picture						
型号 Item No.	FJG3040	FJG3078A	FJG3078B	FJG3036B	FJG3036C	FJG3036D
产品名称 Product Name	黑色长重锤 Heavy hammer	黑色短重锤 Heavy hammer	白色短重锤 Heavy hammer	移动三件套 Move three-piece set	移动三件套 Move three-piece set	移动三件套 Move three-piece set
规格 Specification(mm)	DN8-9	DN8-9	DN8-9	9x12	9x12	4x7
每袋数量 Qty/Bag(pcs)	50	1000	1000	100	/	/
每箱数量 Qty/Ctn(pcs)	600	/	/	600	/	/
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	/	/
净重/毛重 N.W./G.W.(kg)	19.5/20.5	31.7/32.7	40.8/41.8	14.4/15.4	/	/

► PE管件 / PE pipe fittings



FJG5001-20
等径套管
Coupling

Φ20 Φ50
Φ25 Φ63
Φ32 Φ75
Φ40 Φ90
Φ110



FJG5004-20
堵头
Plug

Φ20 Φ50
Φ25 Φ63
Φ32 Φ75
Φ40 Φ90
Φ110



FJG5005-20
等径三通
Equal tee

Φ20 Φ50
Φ25 Φ63
Φ32 Φ75
Φ40 Φ90
Φ110



FJG5009-20
90°弯头
90° Elbow

Φ20 Φ50
Φ25 Φ63
Φ32 Φ75
Φ40 Φ90
Φ110



FJG5007-20*1/2
内丝三通
Female thread tee

Φ20*1/2**20 Φ50*1 1/2**50
Φ20*3/4**20 Φ50*2**50
Φ25*1/2**25 Φ63*1 1/4**63
Φ25*3/4**25 Φ63*1 1/2**63
Φ25*1**25 Φ63*2**63
Φ32*1/2**32 Φ63*2 1/2**63
Φ32*3/4**32 Φ75*2**75
Φ32*1**32 Φ75*2 1/2**75
Φ32*1 1/4**32 Φ75*3**75
Φ40*1**40 Φ90*2 1/2**90
Φ40*1 1/4**40 Φ90*3**90
Φ40*1 1/2**40 Φ90*4**90
Φ50*1/2**50 Φ110*3**110
Φ50*1 1/4**50 Φ110*4**110



FJG5008-20*1/2
外丝三通
Male thread tee

Φ20*1/2**20 Φ40*1 1/4**40
Φ20*3/4**20 Φ40*1 1/2**40
Φ25*1/2**25 Φ50*1 1/4**50
Φ25*3/4**25 Φ50*11/2**50
Φ25*1**25 Φ50*2**50
Φ32*1/2**32 Φ63*1 1/2**63
Φ32*3/4**32 Φ63*2**63
Φ32*1**32 Φ63*2 1/2**63
Φ32*1 1/4**32 Φ75*2 1/2**75
Φ40*1**40 Φ75*3**75



FJG5010-20*1/2
内丝弯头
Female elbow

Φ20*1/2" Φ40*1"
Φ20*3/4" Φ40*1 1/4"
Φ25*1/2" Φ40*1 1/2"
Φ25*3/4" Φ50*1 1/4"
Φ25*1" Φ50*1 1/2"
Φ32*1/2" Φ50*2"
Φ32*3/4" Φ63*1 1/2"
Φ32*1" Φ63*2"
Φ32*1 1/4" Φ63*2 1/2"
Φ40*3/4" Φ75*3"



FJG5011-20*1/2
外丝弯头
Male elbow

Φ20*1/2" Φ40*1 1/2"
Φ20*3/4" Φ50*1 1/4"
Φ25*1/2" Φ50*1 1/2"
Φ25*3/4" Φ50*2"
Φ25*1" Φ63*1 1/2"
Φ32*1/2" Φ63*2"
Φ32*3/4" Φ63*2 1/2"
Φ32*1" Φ75*2 1/2"
Φ32*1 1/4" Φ75*3"
Φ40*1" Φ90*3"
Φ40*1 1/4" Φ90*4"



FJG5006-25*20*25
异径三通
Reducing tee

Φ25*20*25 Φ63*25*63
Φ32*20*32 Φ63*32*63
Φ32*25*32 Φ63*40*63
Φ40*25*40 Φ63*50*63
Φ40*32*40 Φ75*63*75
Φ50*25*50 Φ90*63*90
Φ50*32*50 Φ90*75*90
Φ50*40*50 Φ110*90*110



FJG5001-25*20
异径直通
Reducing coupling

Φ25*20 Φ63*25
Φ32*20 Φ63*32
Φ32*25 Φ63*40
Φ40*25 Φ63*50
Φ40*32 Φ75*50
Φ50*25 Φ75*63
Φ50*32 Φ90*63
Φ50*40 Φ90*75
Φ110*90



FJG5002-20*1/2
内丝直通
Female thread adaptor

Φ20*1/2" Φ50*2"
Φ20*3/4" Φ63*1 1/4"
Φ20*1" Φ63*1 1/2"
Φ25*1/2" Φ63*2"
Φ25*3/4" Φ63*2-1/2"
Φ25*1" Φ75*2"
Φ32*1/2" Φ75*2-1/2"
Φ32*3/4" Φ75*3"
Φ32*1" Φ90*2"
Φ32*1 1/4" Φ90*2-1/2"
Φ40*1" Φ90*3"
Φ40*1 1/4" Φ90*4"
Φ40*1 1/2" Φ110*3"
Φ50*1 1/4" Φ110*4"
Φ50*1 1/2"



FJG5003-20*1/2
外丝直通
Male thread adaptor

Φ20*1/2" Φ50*1 1/2"
Φ20*3/4" Φ50*2"
Φ20*1" Φ63*1 1/4"
Φ25*1/2" Φ63*1 1/2"
Φ25*3/4" Φ63*2"
Φ25*1" Φ63*2 1/2"
Φ32*1/2" Φ75*2"
Φ32*3/4" Φ75*2 1/2"
Φ32*1" Φ75*3"
Φ32*1 1/4" Φ90*2"
Φ40*1" Φ90*2 1/2"
Φ40*1 1/4" Φ90*3"
Φ40*1 1/2" Φ90*4"
Φ40*2" Φ110*2"
Φ50*1" Φ110*3"
Φ50*1 1/4" Φ110*4"



FJG5012-20
PP铜芯球阀
PP copper ball valve
Φ20 Φ25 Φ32

注：规格从小到大排列 Size of specifications from small to large

► PE主管鞍座 / PE Master saddle



内丝四通分水鞍座
Female four-way split saddle

型号 Item No.	FJG5525-1/2	FJG5532-1/2	FJG5540-1/2	FJG5550-1/2	FJG5563-1/2	FJG5575-1/2	FJG5590-1/2	FJG55110-1/2
规格(mm) Specification	Φ25*1/2"	Φ32*1/2"	Φ40*1/2"	Φ50*1/2"	Φ63*1/2"	Φ75*1/2"	Φ90*1/2"	Φ110*1/2"
每袋数量 Qty/Bag(pcs)								
每箱数量 Qty/Ctn(pcs)								
纸箱规格 Ctn Size(cm)								
净重/毛重 N.W./G.W.(kg)								

► 过滤器 / Filter



型号 Item No.	FJL1001A/FJL1002A	FJL1001B/FJL1002B	FJL1003A/FJL1004A	FJL1003B/FJL1004B	FJL1005A
规格(mm) Specification	3/4", 1"	3/4", 1"	1.2", 1.5"	1.2", 1.5"	1.5", 2", 2.5"
目数 Mesh number	80/120/200	120	120	120	120



型号 Item No.	FJL1005B	FJL1006A/FJL1007A	FJL1006B/FJL1007B	FJL1011A	FJL1011B
规格(mm) Specification	1.5", 2", 2.5"	2", 2.5", 3"	2", 2.5", 3"	4"	4"
目数 Mesh number	120	120	120	120	120

图片 Picture						
型号 Item No.	FJV020	FJV025	FJV032	FJV050	FJV063	FJV090
产品名称 Product Name	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers
规格(mm) Specification	1/2"外螺纹 Male	3/4"外螺纹 Male	1"外螺纹 Male	1.5"外螺纹 Male	2"外螺纹 Male	3"外螺纹 Male
每袋数量 Qty/Bag(pcs)	1	1	1	1	1	1
每箱数量 Qty/Ctn(pcs)	50	50	30	30	20	3
纸箱规格 Ctn Size(cm)	54x35x28	54x35x28	54x35x28	54x35x28	54x35x28	55x36x30
净重/毛重 N.W./G.W.(kg)	11/12	14/15	12/13	11/12	12/13	10/11


图片 Picture					
型号 Item No.	FJV020A	FJV025A	FJV032A	FJV050A	FJV063A
产品名称 Product Name	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers	文丘里施肥器 Venturi fertilizers
规格(mm) Specification	1/2"外螺纹 Male	3/4"外螺纹 Male	1"外螺纹 Male	1.5"外螺纹 Male	2"外螺纹 Male
每袋数量 Qty/Bag(pcs)	1	1	1	1	1
每箱数量 Qty/Ctn(pcs)	250	250	100	50	25
纸箱规格 Ctn Size(cm)	55x36x30	55x36x30	55x36x30	55x36x30	55x36x30
净重/毛重 N.W./G.W.(kg)	15/16	15/16	12/13	11/12	15/16

图片 Picture				
型号 Item No.	FJF1001(708)	FJF1002(910)	FJF1003(1419)	FJF1004(1210)
产品名称 Product Name	6" 阀门箱 Valve box	10" 阀门箱 Valve box	12" 阀门箱 Valve box	14" 阀门箱 Valve box
规格(mm) Specification	160x205x230	254x330x260	530x400x440x330	563x403x673x495
每袋数量 Qty/Bag(pcs)	/	/	/	/
每箱数量 Qty/Ctn(pcs)	40	10	5	4
纸箱规格 Ctn Size(cm)	70x43x40	100x36.5x36.5	74x52x41.5	66x55x50.5
净重/毛重 N.W./G.W.(kg)	18/19.5	17.0/18.4	20.0/21.8	28.0/30.0

图片 Picture							
型号 Item No.	FJC1001	FJC1002	FJC1003	FJC1004	FJC1005	FJC1006	FJC1007
产品名称 Product Name	地插杆 Stake	地插杆 Stake	地插杆 Stake	地插杆 Stake	地插杆 Stake	地插杆 Stake	地插杆 Stake
规格(mm) Specification	1/2"内螺纹 Female	1/2"外螺纹 Male	1/2"内螺纹 Female	22.5接4/7	32.5	50	11
每袋数量 Qty/Bag(pcs)	/	/	/	100	/	/	1000
每箱数量 Qty/Ctn(pcs)	300	300	300	1200	3000	400	10000
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	8.1/9.1	8.5/9.5	25.6/26.6	10.3/11.3	36/37	11/12	10/11

图片 Picture							
型号 Item No.	FJC1008	FJC1009	FJC1009	FJC1009	FJC1010	FJC1011	FJKQ1001
产品名称 Product Name	地插杆 Stake	玻璃纤维杆 Glass fiber rods	玻璃纤维杆 Glass fiber rods	玻璃纤维杆 Glass fiber rods	玻璃纤维杆 Glass fiber rods	玻璃纤维杆 Glass fiber rods	空气阀 Air valve
规格(mm) Specification	20	Φ8 空心1米 Φ8 hollow 1 m	Φ8 空心1.2米	Φ8 空心1.5米	Φ9 空心1米	Φ5 实心1米	1"外丝 Male
每袋数量 Qty/Bag(pcs)	100	100根/把 100 root / put	100根/把	100根/把	100根/把	200根/把	10
每箱数量 Qty/Ctn(pcs)	1300	500根/捆 500 root / bundle	500根/捆	500根/捆	500根/捆	500根/捆	100
纸箱规格 Ctn Size(cm)	54x43x31	/	/	/	/	/	39x16x13.5
净重/毛重 N.W./G.W.(kg)	13.1/14.1	32.6/33	40.4/40.9	49.2/49.7	39.1/39.6	18.4/18.9	17.2/18.2

图片 Picture								
型号 Item No.	FJA1001-16	FJA1001-20	FJA1001-25	FJA1003	FJA1004	FJA1005	FJA1006	FJA1007
产品名称 Product Name	软带打孔器 Soft belt punch	软带打孔器 Soft belt punch	软带打孔器 Soft belt punch	PE管打孔器 PE punch	PE管打孔器 PE punch	PE管打孔器 PE punch	PE管打孔器 PE punch	PE管打孔器 PE punch
规格(mm) Specification	Φ16	Φ20	Φ25	大Φ4小Φ3	Φ3	Φ8	Φ4	Φ4
每袋数量 Qty/Bag(pcs)	1	1	1	10	10	10	1	/
每箱数量 Qty/Ctn(pcs)	100	100	100	1000	500	500	60	/
纸箱规格 Ctn Size(cm)	40x37x31	45x35x35	45x35x35	45x35x35	50x37x43	55x36x30	42x28x21	/
净重/毛重 N.W./G.W.(kg)	13.0/14.0	17.0/18.0	20.9/21.9	20.8/21.8	19.3/20.3	22.9/23.9	5.5/6.5	/



PE管系列 / PE pipe series

图片 Picture								
型号 Item No.	FJG1016-1.0	FJG1020-1.3	FJG1020-1.4	FJG1020-1.5	FJG1025-1.7	FJG1025-1.8	FJG1032-2.0	FJG1032-2.5
产品名称 Product Name	16PE管	20PE管	20PE管	20PE管	25PE管	25PE管	32PE管	32PE管
规格(mm) Specification	Φ16,壁厚1 Φ16, tube size 1	Φ20,壁厚1.3	Φ20,壁厚1.4	Φ20,壁厚1.5	Φ25,壁厚1.7	Φ25,壁厚1.8	Φ32,壁厚2.0	Φ32,壁厚2.5

图片 Picture								
型号 Item No.	FJG1032-3.0	FJG1040-2.5	FJG1050-2.5	FJG1063-3.5	FJG1063	FJG1075	FJG1090	FJG1110
产品名称 Product Name	32PE管	40PE管	PE管	PE管	PE管	PE管	PE管	PE管
规格(mm)	Φ32,壁厚3.0	Φ40,壁厚2.5	Φ50,壁厚2.5	Φ63,壁厚3.5	Φ63,硬管 Φ63, hard tube	Φ75,硬管 Φ75, hard tube	Φ90,硬管 Φ90, hard tube	Φ110,硬管 Φ110, hard tube



型号	规格	管径 (mm)	壁厚 (mm)	滴头间距 (mm)	工作压力 (KG)	流量 (L/H)	最大铺设长度 (m)
FJG1002A		Φ16	0.2~0.6	300~500	0.8~1.5	2.7~3.3	≤90
FJG1002B		Φ16	0.6~1.0	300~500	0.8~3.0	2~4	≤100

型号	规格	口径			
FJG1003	N40 N65 N45 N80 N50 N100	折径40mm 折径45mm 折径50mm	折径65mm 折径80mm 折径100mm	直径25mm 直径28.7mm 直径31.4mm	直径40mm 直径50mm 直径63mm



* 样册数据仅供参考。The data of catalog is for reference only.

PVC管、管接头 / PVC pipe & Pipe fittings

图片 Picture						
型号 Item No.	FJG6001A	FJG6001B	FJG6002A	FJG6002B	FJG6003A	FJG6003B
产品名称 Product Name	PVC软管	PVC软管	PVC软管	PVC软管	PVC软管	PVC软管
规格(mm) Specification	9/12黑色 9/12 black	9/12绿色 9/12 green	4/7黑色 4/7 black	4/7绿色 4/7 green	3/5黑色 3/5 black	3/5绿色 3/5 green
每袋数量 Qty/Bag(pcs)	100米/卷	100米/卷	200米/卷	200米/卷	500米/卷	500米/卷
每箱数量 Qty/Ctn(pcs)	5卷/袋	5卷/袋	5卷/袋	5卷/袋	5卷/袋	5卷/袋
纸箱规格 Ctn Size(cm)	/	/	/	/	/	/
净重/毛重 N.W./G.W.(kg)	25	25	22.5	22.5	30	30


图片 Picture					
型号 Item No.	FJG3051	FJG3052	FJG3060A	FJG3053	FJG3060B
产品名称 Product Name	直通 Pass through	异径直通 Reduced access	异径三通(单) Reduced Tee	异径三通(单) Reduced Tee	异径四通(双) Reducer
规格(mm) Specification	9x12	9x12-4x7	9x12-3x5	9x12-4x7	9x12-3x5
每袋数量 Qty/Bag(pcs)	100	100	100	100	100
每箱数量 Qty/Ctn(pcs)	1800	3000	1600	1600	1600
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	14.8/15.8	14/15	14/15	14/15	15/16

图片 Picture						
型号 Item No.	FJG3054	FJG3055	FJG3056	FJG3057	FJG3058	FJG3059
产品名称 Product Name	异径四通(双) Reducer	平口异径三通 Flat reducer tee	平口异径三通 Flat reducer tee	正三通 Tee	堵头 Plug	弯通 Bend over
规格(mm) Specification	9x12-4x7	平口外径Φ6 Flat outside diameter	平口内径Φ6 Flat inner diameter	9x12	9x12	9x12
每袋数量 Qty/Bag(pcs)	100	100	100	100	100	100
每箱数量 Qty/Ctn(pcs)	1600	1600	1600	1200	3600	1600
纸箱规格 Ctn Size(cm)	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31	54x43x31
净重/毛重 N.W./G.W.(kg)	15/16	14/15	14.1/15.1	15.5/16.5	15.3/16.3	15/16

- 套装内不含控制器，可根据客户要求定制套装。
- The sets don't include the controller, controllers for option.


1/滴喷两用地插套装 / Stake sets

FJT0008-10



2/滴箭套装 / Drops sets

FJT0001-10T




▶ 3/涌泉套装水花朝下 / Ground sets

FJT0003-20




▶ 5/地插套装 / Ground sets

FJT0002-10



▶ 4/灰色新型地插套装 / Gray new type of stake sets

FJT0004A-10D



▶ 6/地插微喷套装 / Grey new ground sets

FJT0007A-10D

